

Archive Server for MDaemon

Setting up a network repository for email messages

Abstract	2
Setting up a network repository for email messages	2





Abstract


Email archiving may waste a lot of hard disk space, if you use frequently email applications.

Thus Archive Server for MDaemon allow you to archive you email messages into a network share.

This document is a step by step guide to configure *Archive Server for MDaemon* to set up a network repository for email messages.

Setting up a network repository for email messages


- Logon to Archive Server for MDaemon as System Administrator.
- On the left menu please select the option "Configuration".







Select "System".




• From the a pop-up please select the tab option "Archive".








- If you wish to store the messages on a network folder, please be sure to have read/write permissions on it and deselect the check-box "Archive messages on local disk".
- Insert now the desired path and eventually the login data for network folder's access.



- Example's legenda:
 - o Server is the name of the host where to store your e-mails
 - o Shared_folder is the server's directory where ASM will store your emails
 - o User_name and password are the data needed to access that folder





Achab S.r.l.

Piazza Cinque Giornate, 4 20129 Milano Italy

Telephone: +39 02 54108204

Fax: +39 02 5461894

For further informations about *Archive Server for MDaemon*, visit the Web pages: http://www.achab.com/asm

For further informations about Achab, its products and services, visit the Web site: http://www.achab.com

For sales and marketing related questions, contact Achab at: sales@achab.com

For technical support requests, contact Achab at: support@achab.com